

No. DCT(104)/CCTNS/NET-COR/108/2012/NCRB
Government of India
Ministry of Home Affair
National Crime Record Bureau

East Block-7, R K Puram
New Delhi-110066
Dated 18th Apr 2012

To

All CCTNS Nodal Officers

Sub: Site readiness and infrastructure requirements for CCTNS Project Implementation
- reg

Ref: BSNL letter no. BSNL/EB-NCR-II/NTR/CCTNS-Project dated 10-04-2012

Sir,

With reference to the signing of SLA between BSNL circles and States/UTs CCTNS Nodal Officer for providing network connectivity in their respective States/UTs, the responsibility matrix as provided in the signed copy of MoA indicates that States/UTs are required to have their sites ready along with the infrastructure for implementation of network connectivity.

States/UTs are advised to validate the readiness of the CCTNS sites (PS & HO) as per the site infrastructure requirement mentioned in the MoA as well as BSNL's letter attached herewith and communicate the same to NCRB/MHA accordingly.

Yours Sincerely


18/4/2012
(P. R. K. NAIDU)
JD (CCTNS)


Enclosure:

1. BSNL letter no. BSNL/EB-NCR-II/NTR/CCTNS-Project dated 10-04-2012

Copy to:

1. JS(CS), MHA for information
2. Sh. Sharad Trivedi, AGM, BSNL for information

o/c



O/o General Manager (EB-NCR II)
CTS Compound, Netaji Nagar,
New Delhi- 110 023
Ph: 011- 2410 7293; Fax: 2410 8127
Email: strivedi@bsnl.co.in



भारत संचार निगम लिमिटेड
(भारत सरकार का उपक्रम)
BHARAT SANCHAR NIGAM LIMITED
(A Govt. of India Enterprise)

No: BSNL/EB-NCR-II/NTR/CCTNS-Project

Dated: 10/04/2012

To


Joint Director (CCTNS)
National Crime Record Bureau
East Block-VII, RK Puram,
New Delhi

Sub: Site readiness and infrastructure requirement for CCTNS Project implementation.

Survey of CCTNS sites and signing of SLA agreement between BSNL Circles and CCTNS Nodal officers of States/ UTs are in advance stages. As per the responsibility matrix given in MOA, NCRB and States/UTs have to make the site and its infrastructure ready for avoiding the delay in implementation of CCTNS connectivity.


The site infrastructure requirements and other requirements are already mentioned in the MOA and SLA document. However, for the sake of the project, you are requested to advise the CCTNS Nodal Officers to arrange for site readiness with the following requirement:-

- a) Provide stable AC power supply to the equipment from SNMP enabled UPS of suitable rating (230V AC $\pm 1\%$) and ensure that the equipment is powered on from UPS at all times. The NMS of the UPS should be installed and operational at SDC/ SHQ.
- b) Provide suitable electrical earth for the equipment with earth resistance of < 2 Ohms. To also provide at least three number of 5Amp three-pin sockets for powering of equipment.
- c) Provide adequate and appropriate space in rack for placing/ mounting the supplied equipment.
- d) Provide one port of appropriate type (G.703 or V.35 type) in SWAN POP which is required to terminate BSNL's point-to-point link from Police Station/ Office.
- e) LAN and other Infrastructure at the police stations/ offices should be timely made ready with a spare port for termination of BSNL's WAN connection.
- f) Keep the Indoor equipment in a clean environment, free of dust, water, extreme heat and away from any High voltage source.
- g) Arrange for safety and security of the equipment delivered by BSNL or BSNL's System Integrator/ Supplier at the sites.


10/4/2012

- h) **For sites with VSAT connectivity:** Provide for rooftop rights/ alternate space and any civil work required, especially for LOS (line of sight) or for mounting antenna unit. To also provide for monkey cage if the area is affected by monkey menace.
- i) To arrange for road permits/ other documents within **15 days**, as required by BSNL.
- j) Provide logistic support to BSNL's Service Engineer and provide free access in the Police Station/ Office for diagnosing the fault and carrying out repair of the equipment.
- k) Provide free Right of Way (ROW) for the lines to be laid within Customer premises.

The CCTNS nodal officers should be advised to make their sites (i.e. police stations/ offices) ready and intimate the same to the BSNL coordinator of the State so that they can start their work.


10/4/2012
(Sharad Trivedi)

Addl. GM (EB-II), NTR, New Delhi

Copy to:

All GM (EB)s of Telecom Circles — with a request to similarly take up with the CCTNS Nodal Officers for making the sites ready and for intimating to BSNL.